Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2657	445/24 and (electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/19 09:11
L2	317	445/24 and (electrode) and (electrolytic polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/19 09:12
L3	68	445/25 and (electrode) and (electrolytic polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/19 09:12
L4	763	427/66 and (electroluminescent or luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:12
L5	13	427/487 and (electroluminescent or luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:12
L6	59	205/192 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:12
L7	705	205/118 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:12
L8	173	205/317 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:13
L9	423	313/504 and ((hole with injecting) with thick\$4) and anode and cathode	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:13
L10	131	(electroluminescent or EL) and (current with density) and electrode and electrolysis	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/19 09:14
S1	2213	445/24 and (electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/19 09:11
S2	254	445/24 and (electrode) and (electrolytic polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/19 09:11
S3	2	445/24 and (electrolytic with polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/27 08:23

		EAST Scarci				
S4	3	"445"/\$ and (electrolytic with polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/27 08:23
S5	3175	(electrolytic with polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/27 08:23
S6	73	(electrolytic with polymerization) and (electroluminescent or luminescent)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 08:58
S7	3	("4175836" "6118573" "6661563"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 09:41
S8	672	427/66 and (electroluminescent or luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:12
S9	606	427/66 and (electroluminescent or luminescent) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 11:33
S10	3	427/487 and (electroluminescent or luminescent) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:12
S11	3	("4442185" "5426005" "6447879"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 10:49
S12	0	205/192 and (electroluminescent or luminescent) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 08:59
S13	53	205/192 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:12
S14	5	("20030013280" "6059627" "6129901" "6146227" "6346182"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 11:04
S15	589	205/118 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:12
S16	22	205/118 and (current or volt\$4 or potential) and (\$luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 11:35
S17	5	205/317 and (current or volt\$4 or potential) and (\$luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:13
S18	152	205/317 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 08:59

			•			
S19	4	("5142343" "5485294" "5980349" "6294245").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 13:20
S20	12	(\$luminescent) and (current with density) and (electrolysis with time)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 14:13
S21	24	(\$luminescent) and (electrolysis with time)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 08:59
S22	12	S21 not S20	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 14:17
S23	268	313/504 and ((hole with injecting) with thick\$4) and anode and cathode	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/19 09:13
S24	639	427/66 and (electroluminescent or luminescent) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 11:33
S25	3286	(electroluminescent or EL) and (current with density) and electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:34
S26	109	(electroluminescent or EL) and (current with density) and electrode and electrolysis	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/19 09:14
S27	274	445/24 and (electrode) and (electrolytic polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:57
S28	158	445/24 and (electrode) and (electroly\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:23
S29	6	427/487 and (electroluminescent or luminescent or EL) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 12:17
S30	54	205/192 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 12:23
S31	30	445/25 and (electrode) and (electroly\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 09:00
S32	2968	445/24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:43

			•			
S33	101	(electrolytic with polymerization) and (electroluminescent or luminescent)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 08:58
S34	2566	445/24 and (electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 08:58
S35	301	445/24 and (electrode) and (electrolytic polymerization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 08:58
S36	737	427/66 and (electroluminescent or luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 08:59
S37	13	427/487 and (electroluminescent or luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 08:59
S38	0	205/192 and (electroluminescent or luminescent)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 08:59
S39	58	205/192 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 08:59
S40	165	205/317 and (current or volt\$4 or potential)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 08:59
S41	30	(\$luminescent) and (electrolysis with time)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 08:59
S42	380	313/504 and ((hole with injecting) with thick\$4) and anode and cathode	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 09:00
S43	32	445/25 and (electrode) and (electroly\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 09:00
S44	3192	445/24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 09:00